## LETTER OF REQUEST FOR OPEN FRAMES

## **CLIENT INFORMATION**

COMPANY NAME		COUNTRY	
TEL NO.		FAX NO.	
YOUR NAME		E-MAIL	
ADRESS			
APPLICATIONS			
Q'TY			
HAVE YOU TARGET PRICE ?  NO  YES (FOB US\$ / UNIT)			

## **PRODUCT INFORMATION**

LCD MODEL	(If you already known the part no. of panel)		
LCD SIZE (INCH)	INCH (RESOLUTION : X )		
Type of source <sup>*1</sup>	□ N - type □ A - type □ D - type □ T -type □ Other		
Tuner	□ N-A □ Built in		
	The type of TV tuner(If you check "Built in")		
	□ NTSC only □ PAL/SECAM/NTSC M		
Speaker	□ N-A □ Built in		
	Placed speaker (If you check "Built in")		
	□ Front side □ Rear side		
Remote control			
	Placed the remote control sensor(If you check "Able")		
	□ Front side □ Rear side □ Other		
OSD Buttons	Placed the buttons		
	Front side  Rear side  Left side  Right side  Other		
Bracket is made of	EGI(General) - Painted EGI - SUS(Stainless) - Aluminium		
Composition of	$\square$ Bottom $\square$ Back cover $\square$ Front cover $\square$ Ear-lugs $\square$ Stand for desk top $\square$ Other		
Brackets *2	The material of Front cover (If you check "Front cover")		
	□ Painted EGI □ SUS □ Aluminium		
Method of install *2	$\hfill\square$ Side mounting by ear-lugs or user holes $\hfill\square$ Rear mounting by user holes		
	□ VESA mounting □ Desk top		
	Distance from surface (If you check "Side mounting")		
	mm		
	The standard of VESA (If you check "VESA mounting")		
	□ 75 X 75 □ 100 X 100 (M)		
Touch screen	$\square$ N-A $\square$ 4-wire RESISTIVE $\square$ 5-wire RESISTIVE $\square$ INFRARED $\square$ SAW		
Touch control			

MORE DETAILS	

Type of source \*1

- 1) In / out terminals of N-Type
- 15Pin D-sub, Power jack.
- 2) In / out terminals of A-Type
- 15Pin D-sub, 3PCS of RCA(1PCS for composite video and 2PCS of stereo audio for video), 1PCS of mini Din jack(S-Video input), 2PCS of stereo phone jack(1PCS of PC audio in and 1PCS of headphone out), TV antenna D-type jack(Optional), Power jack.
- 3) In / out terminals of D-Type
- 15Pin D-sub, DVI-D jack, 3PCS of RCA(1PCS for composite video and 2PCS of stereo audio for video), 1PCS of mini Din jack(S-Video input), 2PCS of stereo phone jack(1PCS of PC audio in and 1PCS of headphone out), TV antenna D-type jack(Optional), Power jack.
- 4) In / out terminals of T-Type
- 15Pin D-sub, 8PCS of RCA(1PCS for composite video, 3PCS of Y/Pb/Pr,2PCS of stereo audio in for video and 2PCS of stereo audio in for Y/Pb/Pr), 1PCS of mini Din jack(S-Video input), 1PCS of SCART jack, 2PCS of stereo phone jack(1PCS of PC audio in and 1PCS of headphone out), TV antenna D-type jack, Power jack.

Example for Brackets and the method of install  $^{\rm *2}$ 

